

## Index to Volume 169

Aller P, *see* Campi  n J et al.

Anogianakis G, *see* Reale M et al.

Ayotte P, *see* Shah RG et al.

Barbacane CR, *see* Reale M et al.

Badr M, *see* Youssef J

Baker KM, *see* Bhat GJ

Bhat GJ, Baker KM: Angiotensin II stimulates rapid serine phosphorylation of transcription factor Stat3

185–190

Bikhazi AB, Bitar KM, Kreydiyyeh SI, Saleh RS, El-Kasti MM, Ibrahim MZM, Khoudoud ORA: Binding and distribution of three prototype calcium channel blockers in perfused rat liver

1–11

Bird A, *see* Lennon K et al.

Bitar KM, *see* Bikhazi AB et al.

Bonkovsky HL, *see* Cable EE et al.

Bowness JM, Tarr AH: Increase in transglutaminase and its extracellular products in response to an inflammatory stimulus by lipopolysaccharide

157–163

Bundgaard H, *see* Larsen JS et al.

Cable EE, Gildemeister OS, Pepe JA, Lambrecht RW, Bonkovsky HL: Mechanism of induction of heme oxygenase by metalloporphyrins in primary chick embryo liver cells: Evidence against a stress-mediated response

13–20

Calle C, *see* Campi  n J et al.

Campi  n J, Aller P, D  vila N, Del Carmen Carranza M, De Miguel R, Calle C: Tissue-specific modulation of insulin receptor mRNA levels in adrenaline-treated rats

165–169

Castellani ML, *see* Reale M et al.

Catal  n L, *see* Nassar-Gentina V et al.

Cataldo I, *see* Reale M et al.

Chen Y-F, *see* Lennon K et al.

Cho YH, *see* Wheeler MA et al.

Clerc M, *see* Melin AM et al.

Conti P, *see* Reale M et al.

D  vila N, *see* Campi  n J et al.

Del Carmen Carranza M, *see* Campi  n J et al.

De Miguel R, *see* Campi  n J et al.

Di Febbo C, *see* Reale M et al.

Dokita S, *see* Wheeler MA et al.

El-Kasti MM, *see* Bikhazi AB et al.

Eriksson H, Tornqvist H: Specific inhibition of the cGMP-inhibited cAMP phosphodiesterase blocks the insulin-like antilipolytic effect of growth hormone in rat adipocytes

37–42

Evans RL, *see* Ferri C et al.

Ferri C, Evans RL, Paulais M, Tanimura A, Turner RJ: Evidence that up-regulation of the parotid  $\text{Na}^+ \text{-K}^+ \text{-2Cl}^-$  cotransporter by hypertonic shrinkage is not duplicated by isotonic shrinkage

21–25

Fu J, *see* Liu H et al.

Fujitani N, Kawaguchi N, Toda S, Matsumura S, Kimura H, Onishi S: Immunocytochemical detection of enhanced expression of *c-myc* protein in the heart of cardiomyopathic hamster

73–78

Gabor B, *see* Vankataraman BV et al.

- Gildemeister OS, *see* Cable EE *et al.*
- Goel R, Singh J, Kaul D: Receptor-'C<sub>k</sub>' dependent signalling regulates the LDL-receptor gene transcription 79-83
- Gualde N, *see* Liu H *et al.*
- Gustafson TA, *see* Taylor A *et al.*
- Hong KW, *see* Wheeler MA *et al.*
- Ibrahim MZM, *see* Bikhazi AB *et al.*
- Joe B, Rao UJSP, Lokesh BR: Presence of an acidic glycoprotein in the serum of arthritic rats: Modulation by capsaicin and curcumin 125-134
- Kalyani P, *see* Vankataraman BV *et al.*
- Kapur S, *see* Shah RG *et al.*
- Kaul D, *see* Goel R *et al.*
- Kawaguchi N, *see* Fujitani N *et al.*
- Kedes L, *see* Taylor A *et al.*
- Khoudoud ORA, *see* Bikhazi AB *et al.*
- Kjeldsen K, *see* Larsen JS *et al.*
- Kreydiyyeh SI, *see* Bikhazi AB *et al.*
- Kimura H, *see* Fujitani N *et al.*
- Korzeniewski B, Quant PA: A simple mechanism decreasing free metabolite pool size in static spatial channelling 135-142
- Kukuruzinska MA, *see* Lennon K *et al.*
- Kurota H, Yamaguchi M: Activatory effect of calcium-binding protein regucalcin on ATP-dependent calcium transport in the basolateral membranes of rat kidney cortex 149-156
- Lagueux J, *see* Shah RG *et al.*
- Lambrecht RW, *see* Cable EE *et al.*
- Larsen JS, Schmidt TA, Bundgaard H, Kjeldsen K: Reduced concentration of myocardial Na<sup>+</sup>, K<sup>+</sup>-ATPase in human aortic valve disease as well as of Na<sup>+</sup>, K<sup>+</sup>- and Ca<sup>2+</sup>-ATPase in rodents with hypertrophy 85-93
- Lennon K, Bird A, Chen Y-F, Pretel R, Kukuruzinska MA: The dual role of mRNA half-lives in the expression of the yeast ALG7 gene 95-106
- Levallois P, *see* Shah RG *et al.*
- Liu H, Moreau J-F, Gualde N, Fu J: Refolding of soluble leukemia inhibitory factor receptor fusion protein (gp 190 sol DAF) from urea 43-50
- Lokesh BR, *see* Joe B *et al.*
- Luxuro M, *see* Nassar-Gentina V *et al.*
- Matsumura S, *see* Fujitani N *et al.*
- Melin AM, Peuchant E, Perromat A, Clerc M: *In vitro* influence of ascorbate on lipid peroxidation in rat testis and heart microsomes 171-176
- Moreau J-F, *see* Liu H *et al.*
- Namboodiri K, *see* Venkataraman BV *et al.*
- Nassar-Gentina V, Catalán L, Luxoro M: Nicotinic and muscarinic components in acetylcholine stimulation of porcine adrenal medullary cells 107-113
- Nishimoto T, *see* Wheeler MA *et al.*
- Onishi S, *see* Fujitani N *et al.*
- Orso C, *see* Reale M *et al.*
- Paulais M, *see* Ferri C *et al.*
- Pepe JA, *see* Cable EE *et al.*
- Perromat A, *see* Melin AM *et al.*
- Peuchant E, *see* Melin AM *et al.*
- Placido FC, *see* Reale M *et al.*

- Poirier GG, *see Shah RG et al.*
- Pontari M, *see Wheeler MA et al.*
- Porreca E, *see Reale M et al.*
- Pretel R, *see Lennon K et al.*
- Quant PA, *see Korzeniewski B*
- Ramasarma T, *see Venkataraman BV et al.*
- Rao AVS, *see Venkataraman BV et al.*
- Rao UJSP, *see Joe B et al.*
- Ravishankar HN, *see Venkataraman BV et al.*
- Reale M, Orso C, Castellani ML, Barbacane CR, Placiso FC, Porreca E, di Febbo C, Cataldo I, Vacalis D, Anogianakis G, Trakatellis A, Conti P: Infra-red laser irradiation enhances interleukin-1 receptor antagonist, increases  $^3\text{H}$ -thymidine incorporation and the release of  $[^3\text{H}]$ -thymidine incorporation and the release of  $[^3\text{H}]$  arachidonic acid in human monocytes 51-59
- Saleh RS, *see Bikhazi AB et al.*
- Schmidt TA, *see Larsen JS et al.*
- Shah RG, Lagueux J, Kapur S, Levallois P, Ayotte P, Tremblay M, Zee J, Poirier GG: Determination of genotoxicity of the metabolites of the pesticides Guthion, Sencor, Lorox, Reglone, Daconil and Admire by  $^{32}\text{P}$ -postlabeling 177-184
- Sharada G, *see Venkataraman BV et al.*
- Singh J, *see Goel R et al.*
- Tarr AH, *see Bowness JM*
- Taylor A, Webster KA, Gustafson TA, Kedes L: The anti-cancer agent distamycin A displaces essential transcription factors and selectively inhibits myogenic differentiation 61-72
- Tanimura A, *see Ferri C et al.*
- Toda S, *see Fujitani N et al.*
- Tornqvist H, *see Eriksson H*
- Torres AM: Molecular structure influence in the recognition of phthaleins by the electrogenic organic anion carrier at the sinusoidal plasma membrane level in the liver 191-195
- Trakatellis A, *see Reale M et al.*
- Tremblay M, *see Shah RG et al.*
- Turner RJ, *see Ferri C et al.*
- Vacalis D, *see Reale M et al.*
- Venkataraman BV, Ravishankar HN, Rao AVS, Kalyani P, Sharada G, Namboodiri K, Gabor B, Ramasarma, T: Decavanadate possesses  $\alpha$ -adrenergic agonist activity and a structural motif common with trans- $\beta$  form of noradrenaline 27-36
- Webster KA, *see Taylor A et al.*
- Weiss RM, *see Wheeler MA et al.*
- Wheeler MA, Pontari M, Dokita S, Nishimoto T, Cho YH, Hong KW, Weiss RM: Age-dependent changes in particulate and soluble guanylyl cyclase activities in urinary tract smooth muscle 115-124
- Yamaguchi M, *see Kurota H*
- Youssef J, Badr M: Activated Kupffer cells attenuate the liver response to the peroxisome proliferator perfluoroctanoic acid 143-147
- Zee J, *see Shah RG et al.*



